

NSK LINEAR AND MECHATRONICS PRODUCT CAPABILITIES





Ann Arbor, MI

- NSK Americas Corporate Headquarters
- Research & Development
- Testing & Analysis
- Engineering & Design
- Marketing, Sales and Customer Service
- Training Facility

Franklin, IN

- Domestic Manufacturing
- Engineering & Design
- Marketing, Sales and Customer Service
- Distribution Center
- Integration Capabilities
- Training Facility

San Jose, CA

- Integration Capabilities
- Engineering & Design
- Marketing & Sales
- Training Facility

Maximize Time, Resources and Innovation

CORPORATE INFORMATION

The NSK Group is one of the world's leading manufacturers of motion and control products. A global company with sales over \$8.2 billion, NSK employs over 30,000 employees at 65 ISO-certified manufacturing facilities. Our 121 sales operations are located in 28 countries around the globe.

With 100 years of experience, NSK products and solutions have been chosen by leading brands around the world. As an industry innovator, NSK can help you lead the way by delivering high-quality motion and control solutions. NSK conducts rigorous testing and uses only the world's highest quality steel to manufacture products, ensuring unsurpassed performance and reliability.

DOMESTIC (NSK AMERICAS)

NSK manufactures and services innovative mechatronics and linear motion and control products in the U.S. NSK linear motion products can be found in many applications within the automotive, semiconductor, food and beverage, medical, machine tool and packaging industries.

To respond quickly and efficiently to the unique challenges of our customers, NSK distribution centers, manufacturing facilities and sales offices are strategically located throughout the Americas.

Customers can trust NSK to provide the highest quality mechatronics and linear motion products, total application solutions and world-class engineering support.

U.S. manufacturing gives NSK the flexibility to quickly respond to your needs - whether you require a next-day modification, or rush repair and maintenance services after the sale.

DOMESTIC CAPABILITIES/PLANT INFORMATION

NSK's 77,950 sq. ft. manufacturing facility in Franklin, Indiana is dedicated to manufacturing precision products and serving the Americas markets. Certified to ISO 9001:2008 and ISO 14001:2004 standards, this state-of-the-art plant ensures shorter manufacturing lead times and quicker turnaround to meet the needs of customers from coast to coast.



RESOURCES

Visit www.nskamericas.com for engineering resources including CAD files, technical information, part numbering and more.

Linear Motion



Linear Guides

- › Size range: 5 mm to 65 mm.
- › Rail lengths up to 4 m.
- › Interchangeable retained ball slides available from stock in select sizes.
- › Maintenance-free operation with optional K1™ lubrication units.
- › Dynamic load capacity up to 340,000 N.
- › Wide range of accuracy and preload options.
- › Linear guide types:
 - General application types: NH, NS and LW (wide) Series
 - High rigidity roller type: RA and RB (low profile) Series
 - Miniature ball type: PU/PE and LU/LE Series
- › Material type:
 - Stainless steel
 - Carbon steel
- › Standard operating temperature: 0° to 80°C.
- › High temperature settings: up to 150°C.
- › Accessories available: K1™ lubrication units, high-performance seals, rail covers, rail caps, and protector plates.
- › RoHS-compliant.
- › Standard and custom solutions for applications requiring:
 - High load, high rigidity, high speed, high accuracy/ smoothness and lubrication requirements



Ball Screws

- › World's leading manufacturer of precision ground ball screws.
- › Shaft diameter range: 4 mm to 200 mm.
- › Shaft length range: up to 13.5 m.
- › Lead range: 0.5 mm to 100 mm
- › Accuracy: C0 to Ct10
- › Preload options:
 - P type: oversized balls
 - Z type: offset lead
 - D type: double nut
- › Recirculation system types: tube, deflector, end cap, and tangential pickup.
- › Precision ground and rolled ball versions offer:
 - Low noise
 - High speed
 - Compact design
 - High load and rigidity
- › Material type:
 - Stainless steel
 - Carbon steel
- › Accessories available:
 - Support units
 - K1™ lubrication units
 - High-performance seals

Monocarrier™ Actuators

- › Easy-to-install ball screw, linear guide and support units integrated into one structure.
- › Product benefits:
 - Long life
 - Maintenance-free operation
 - Corrosion-resistant coating
- › Product types:
 - Lightweight ball type: MCM Series
 - Rigid ball type: MCH Series
 - Super high load capacity roller type: ToughCarrier™ (TCH) Series
- › Lead Range: 1 mm to 30 mm.
- › Stroke Range: 50 mm to 1200 mm.
- › Accuracy types: high and precision.
- › Material type: chrome-plated.
- › K1™ lubrication units are a standard feature.
- › Accessories available: covers, sensor units, motor mounts, and combining brackets.
- › Custom designs available.

Mechatronics



Robot Modules

- › Integrated use of NSK ball screws, linear guides and Monocarrier™ actuators.
- › Easily combined into multi-axis systems.
- › Completely sealed unit.
- › Maintenance-free operation with K1™ lubrication units.
- › High accuracy and repeatability.
- › Stroke range: 100 mm to 2000 mm.
- › Lead range: 10 mm to 40 mm.
- › Motor mounting options: left, right or straight.
- › Motor type options: NEMA 23, 34 and metric motors.
- › Load types: small, medium, and heavy.
- › Accessories available:
 - Motor-mounting kits
 - Multi-axis combining brackets
 - Support slide
 - Module-mounting plates
 - Limit and home-sensor kits

Megatorque™ Motors

- › Direct-drive technology.
- › Maintenance-free operation.
- › Compact design with through-hole.
- › Accurate, micron-level repeatability with no backlash.
- › Incorporates absolute positioning sensor with 2.62 million counts p/revolution.
- › Product types:
 - PS Series: high-speed positioning for light to medium loads
 - PN/Z Series: low profile for positioning heavy loads
- › Easy installation.
- › Motor height range: 35 mm to 170 mm.
- › Torque output range: 6 to 180 (Nm).
- › Maximum rotational speed: 10s⁻¹.
- › Accessories available:
 - Drive unit connectors and mounting brackets
 - RS-232C cable
 - RS-232C hand terminal



K1™ Lubrication Units

K1™ - long-term, maintenance-free lubrication unit available for ball screws, linear guides, robot modules and Monocarriers™.



Seals

NSK offers a variety of seal options depending on your application. Choose from high-temperature, high-performance and/or contact seals. Contact NSK for more information.

SPECIAL APPLICATIONS

- › Special coatings can be applied to NSK bearings, ball screws, and linear guides.
- › Special environment types: corrosive, clean-room, high-temperature, non-magnetic, vacuum, water and acid.
- › Lubrication options:
 - Clean-room grease
 - Food or medical grade K1™ lubrication units
 - High-speed and high-temperature grease options
- › Refer to catalog E1258b: SPACEA bearings, ball screws and linear guides for special environments.

Integration and Custom Assemblies

- › Domestic capabilities allow NSK to combine multiple components with core NSK products to create complete and large systems.
- › Custom assembly examples:
 - Support-unit installation
 - Motor installation
 - Multi-axis system assembly
- › Please contact NSK for more information regarding custom needs.

Worldwide Sales Offices

NSK Ltd. Headquarters, Tokyo, Japan

Asia Business Strategic Division-
Headquarters tel: 81-03-3779-7145
Industrial Machinery Bearings Division-
Headquarters tel: 81-03-3779-7227
Automotive Division-Headquarters
Needle Roller Bearings Strategic
Division-Headquarters tel: 81-03-3779-7189
Precision Machinery & Parts
Division-Headquarters tel: 81-03-3779-2563
Division-Headquarters tel: 81-03-3779-7219

www.nsk.com

Africa

South Africa:

NSK South Africa (Pty) Ltd.
Johannesburg tel: 27-011-458-3600

Asia and Oceania

Australia:

NSK Australia Pty. Ltd. www.nskaustralia.com.au
Melbourne tel: 61-03-9764-8302

China:

NSK Hong Kong Ltd. tel: 86-2739-9933
Hong Kong
Kunshan NSK Co., Ltd. tel: 86-0520-730-5654
Kunshan Plant
Changshu NSK Needle Bearing Co., Ltd. tel: 86-0512-5230-1111
Jiangsu Plant
Guizhou HS NSK Bearings Co., Ltd. tel: 86-0853-3521505
Anshun Plant
NSK Steering Systems Dongguan Co., Ltd. tel: 86-0769-262-0960
Dongguan Plant
Zhangjiagang NSK Precision Machinery Co., Ltd. tel: 86-0512-5867-6496
Jiangsu Plant
Timken-NSK Bearings (Suzhou) Co., Ltd. tel: 86-0512-6665-5666
Jiangsu Plant
NSK China Technology Center
Jiangsu tel: 86-0512-5771-5654
NSK (Shanghai) Trading Co., Ltd.
Shanghai tel: 86-021-6235-0198
Beijing tel: 86-010-6590-8161
Guangzhou tel: 86-020-3786-4833
Anshun tel: 86-0853-3522522
Chengdu tel: 86-028-8661-4200
Shenzhen tel: 86-0755-25904886
Changchun tel: 86-0431-8988682
NSK (China) Investment Co., Ltd.
Shanghai tel: 86-021-6235-0198

India:

Rane NSK Steering Systems Ltd. tel: 91-044-274-66002
Chennai
NSK Ltd. India Branch Office
Chennai tel: 91-044-2446-6862

Indonesia:

PT. NSK Bearings Manufacturing Indonesia
Jakarta tel: 62-021-898-0155
PT. NSK Indonesia
Jakarta tel: 62-021-252-3458

Korea:

NSK Korea Co., Ltd. www.kr.nsk.com
Seoul tel: 82-02-3287-0300
Changwon Plant tel: 82-055-287-6001

Malaysia:

NSK Bearings (Malaysia) Sdn. Bhd. tel: 60-03-7722-3372
Kuala Lumpur
NSK Micro Precision (M) Sdn. Bhd. tel: 60-03-961-6288
Malaysia Plant

New Zealand:

NSK New Zealand Ltd. www.nsk-rhp.co.nz
Auckland tel: 64-09-276-4992

Philippines:

NSK Representative Office
Makati City tel: 63-02-893-9543

Russia:

NSK Polska Sp. z o.o. tel: 7-812-3325071
Saint-Petersburg

Singapore:

NSK International (Singapore) Pte Ltd. tel: 65-6496-8000
Singapore www.nsk-singapore.com.sg
NSK Singapore (Pte) Ltd. tel: 65-6496-8000
Singapore

Taiwan:

Taiwan NSK Precision Co., Ltd. tel: 886-02-2509-3305
Taipei

Thailand:

NSK Bearings (Thailand) Co., Ltd. tel: 66-02-6412-150
Bangkok
SIAM NSK Steering Systems Co., Ltd. tel: 66-038-522-343-350
Chachoengsao tel: 66-038-522-343-350
NSK Asia Pacific Technology Center (Thailand) Co., Ltd. tel: 66-038-454631-454633
Chonburi

United Arab Emirates:

NSK Bearings Gulf Trading Co. tel: 971-4-804-8205
Dubai

Vietnam:

NSK Representative Office tel: 84-04-935-1269
Hanoi

Europe

NSK Europe Ltd. www.nskeurope.com
(European Headquarters) tel: 44-01628-509800
Maidenhead, U.K.

France:

NSK France S.A.S. tel: 33-1-30573939
Paris

Germany:

NSK Deutschland GmbH tel: 49-2102-4810
Düsseldorf

Italy:

NSK Italia S.p.A. tel: 39-02-995191
Milano

Poland:

NSK Polska Sp. z o.o. tel: 48-22-6451525
Warsaw

Spain:

NSK Spain S.A. tel: 34-93-2892763
Barcelona

Turkey:

NSK Rulmanlari Orta Dogu Tic. Ltd Sti tel: 90-216-4777111

United Kingdom:

NSK UK Ltd. tel: 44-1636-605123
Newark

North and South America

NSK Americas, Inc. (American Headquarters)
Ann Arbor tel: 1-734-913-7500

Argentina:

NSK Argentina SRL tel: 54-011-4762-6556
Buenos Aires

Brazil:

NSK Brasil Ltda. www.br.nsk.com
São Paulo tel: 55-011-3269-4700

Canada:

NSK Canada Inc. www.ca.nsk.com
Toronto tel: 1-905-890-0740

Mexico:

NSK Rodamientos Mexicana, S.A. de C.V. www.mx.nsk.com
Mexico City tel: 52-55-36822900

United States of America:

NSK Corporation www.nskamericas.com
Ann Arbor tel: 1-734-913-7500

NSK American Technology Center
Ann Arbor tel: 1-734-913-7500

NSK Precision America, Inc. www.nskamericas.com
Franklin tel: 800-255-4773

NSK Steering Systems America, Inc. www.nssa.nsk.com
Bennington, Vermont tel: 1-802-442-5448

NSK Latin America, Inc. www.la.nsk.com
Miami tel: 1-305-477-0605

NSK Ltd. has a basic policy not to export any products or technology designated as controlled items by export-related laws. When exporting the products in this brochure, the laws of the exporting country must be observed. Specifications are subject to change without notice and without any obligation on the part of the manufacturer. Every care has been taken to ensure the accuracy of the data contained in this brochure, but no liability can be accepted for any loss or damage suffered through errors or omissions. We will gratefully acknowledge any additions or corrections.

